宁波鑫合瑞3节升压防水电池盒系列报价 日期: 2014.07.04

图片	序	功能介绍	输出电压	输出线	含税价
OP2L4 SVGC 0.15A COMB STEADY ON ON OFF 电池盒正面	1	定时2路8功能	24-36V	常规3线	4.2
	2	定时2路8功能	4.5V	常规3线	3.8
	3	定时亮+常亮+关	24-36V	常规2线	3.8
	4	定时亮+常亮+关	4.5V	常规2线	3.5
	5	定时亮+定时闪+关	24-36V	常规2线	3.8
	6	定时亮+定时闪+关	4.5V	常规2线	3.5
TOTAL STATE OF THE	7	定时2路8功能	24-36V	正反2线	4.4
	8	定时2路8功能	4.5V	正反2线	3.8
	9	定时亮+常亮+关	24-36V	正反2线	4.4
	10	定时亮+常亮+关	4.5V	正反2线	3.8
	11	定时亮+定时闪+关	24-36V	正反2线	4.4
电池盒反面	12	定时亮+定时闪+关	4.5V	正反2线	3.8

注:上述报价为黑色含税17%人民币报价(白色单价加0.2元)。

宁波鑫合瑞电子有限公司

黄永兴/总经理

直线:0574-63210788

传真:0574-63222789

手机:13306620798

 $MAIL: vincent@gp\text{-}electronic \ ; \ sales@gp\text{-}electronic.com$

WEB: www.gp-electronic.com

地址:浙江省慈溪市宗汉街道二塘新村(邮编:315300)

